

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	157	(determin\$4) with (header preamble) with (updat\$4 upgrad\$4) with (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:54
L2	60	L1 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:54
L3	1904	(header preamble) with (updat \$4 upgrad\$4) with (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:55
L4	294	(header preamble) near3 (updat \$4 upgrad\$4) near3 (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:55
L5	164	4 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:55
L6	16147	(configur\$5 reconfigur\$5 updat \$4 upgrad\$4) with (network near3 (switch router hub bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:55
L7	17	4 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:56
L8	6	7 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:56
S1	10	US-5423015-\$ DID. OR US-5644784-\$ DID. OR US-59096861-\$ DID. OR US-6061351-\$ DID. OR US-5727126-\$ DID. OR US-5794033-\$ DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:28

S2	2	"20040215843".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:06
S3	2	"6816918".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 21:36
S4	6	US-6407960-\$.DID. OR US-5727207-\$.DID. OR US-6792848-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:14
S5	6	US-6407960-\$.DID. OR US-5727207-\$.DID. OR US-6292848-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:37
S6	10215	(710/8-14.ccls. or 713/1,2,100.ccls. or 709/220-222.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:48
S7	17	S6 and determin\$4 with (configur\$5 reconfigur\$5 updat\$4 upgrad\$4) with (inteface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 17:28
S8	110	determin\$4 with (configur\$5 reconfigur\$5 updat\$4 upgrad\$4) with (inteface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:56
S9	89	S8 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 17:29
S10	173	S6 and (configur\$5 reconfigur\$5 updat\$4 upgrad\$4) with (inteface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 17:28
S11	130	S10 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:07

S12	9463	(configur\$5 reconfigur\$5 updat\$4 upgrad\$4) with (network near3 (switch router hub bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:07
S13	22	(configur\$5 reconfigur\$5 updat\$4 upgrad\$4) with (network near3 (switch router hub bridge)) with (interface spi ilc i1c pci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:07
S14	17	S13 and (@ad<="20020410" or @riad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:22
S15	20288	(header preamble start) with (number) with (register value parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:22
S16	209	S12 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:19
S17	160	S16 and (@ad<="20020410" or @riad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:19
S18	44	EEPROM with (header preamble start) with (number) with (register value parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:22
S19	41	S18 and (@ad<="20020410" or @riad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:22
S20	13	("5423015" "5644784" "5699350" "5727126" "5794033" "5909686" "5938764" "6061351" "6199192" "6292707" "6349304" "6480235" "6553489").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/06 06:27
S21	2	"6407960".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 08:13

S22	2	"5727207".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 21:36
S23	120	determin\$4 with (configur\$5 reconfigur\$5 updat\$4 upgrad \$4) with (interface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:22
S24	92	S23 and (@ad<="20020410" or @riad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:22
S25	12170	(710/8-14.cds. or 713/1,2,100. cds. or 709/220-222.cds.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:23
S26	210	S25 and (configur\$5 reconfigur \$5 updat\$4 upgrad\$4) with (interface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:23
S27	134	S26 and (@ad<="20020410" or @riad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:23
S28	1452	(header preamble) with (updat \$4 upgrad\$4) with (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:31
S29	119	((determin\$4) with (header preamble) with (updat\$4 upgrad\$4) with (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:32
S30	58	S29 and (@ad<="20020410" or @riad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:32
S31	15	((determin\$4) with (header preamble) with (updat\$4 upgrad\$4) with (register parameter value configuration)). dm.	US-PGPUB	OR	ON	2008/03/28 15:13
S32	8	((determin\$4) with (configur\$5 reconfigur\$5 updat\$4 upgrad \$4) with (interface spi iic i1c pci) with (memory)).dm.	US-PGPUB	OR	ON	2008/03/28 15:14

S33	2	"6798833".pn.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/03/28 15:42
S34	18	("5699350" "5727207" "5781796" "5938761" "6292707" "6292848" "6349304" "6480235" "6553489").PN.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/06/04 23:23
S35	15126	(switch router peripheral hub) with (reconfigur\$4 configur\$5 parameter) with (memory eeprom)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/21 22:11
S36	2994	(switch router peripheral hub) with (reconfigur\$4 configur\$5 parameter) with (memory eeprom) with (external interface)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/21 22:12
S37	263	(switch router peripheral hub) with (reconfigur\$4 configur\$5 parameter) with (register) with (memory eeprom) with (external interface)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/21 22:12
S38	166	S37 and (@ad<="20020410" or @riad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 22:12
S39	2	"20040215843".did.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/22 08:48
S40	5942	(header prefix preamble) with (configur\$5 reconfigure updat \$4) with (value parameter register number)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:13
S41	683	(determin\$4 calculat\$4) with (header prefix preamble) with (configur\$5 reconfigure updat \$4) with (value parameter register number)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:14
S42	226	S41 and ((header prefix preamble) with (memory eeprom rom))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:15

S43	132	S42 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:19
S44	2	"20040215843".did.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:31
S45	174	(eeprom eeprom) with (configuration) with ((address index) and (data))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:50
S46	130	S45 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:51
S47	10	(eeprom eeprom) with (configuration) with instruction with ((address index) and (data))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:59
S48	8	S47 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:59
S49	135	(eeprom eeprom) with ((configuration) near3 instruction)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/08 13:06
S50	94	S49 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 13:07
S51	2	"6816818".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 22:35
S52	73	(memory with (configuration near3 instruction) with (address) with data)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/11 22:46

S53	47	S52 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 22:47
-----	----	---	---	----	----	---------------------

1/17/2010 9:01:38 PM

C:\Documents and Settings\ESorrell\My Documents\EAST\Workspaces\10805233.wsp